




1- The 70 x 70mm post is made of painted galvanised steel, ensuring robustness and durability. The cap is made of injection moulded polyamide.

J38203-C



2- The 125mm diameter posts are made of painted galvanised steel. The grained finish has a slightly undulating surface for increased scratch resistance.



3- The coloured panels are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



4- The platforms, the steps and the climbing wall are made from a 12.5mm thick textured and non-slip compact material (HPL).



5- The tubes are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



6- Injection moulded polyamide fixings connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.

Proludic




7- The sliding surface is made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.



8- The 16mm diameter rope is made of galvanised steel cable covered with polyester.







10-The net fittings are made of polyamide. The fittings are composed of two distinct parts for ease of maintenance of individual strands.



11-The climbing holds are made of polypropylene. They are non-toxic, inflammable and shock and UV resistant.



12-The fixings are made of stainless or plated steel and protected by anti-vandalism polyamide caps.

