



## Structures à grimper (caractéristiques techniques)

**J57012-C**



1- **The 95 x 95mm posts** are made of painted galvanised steel, ensuring robustness and durability.




2- **The 125mm diameter posts** are made of painted galvanised steel. The two-tone grey grained finish has a slightly undulating surface for increased scratch resistance. The caps are made of injection moulded polyamide.



3- **The junction pieces** are made of painted galvanised steel.




4- **The coloured panels** are made from a 13mm thick compact material (HPL). Robust in construction, it has excellent weather and vandal resistance properties.



5- **The platforms** are made from a 12.5mm thick textured and non-slip compact material (HPL).



6- **The tubes** are made of 40mm diameter stainless steel, guaranteeing lasting durability and reliability of the equipment.



**7- Injection moulded polyamide fixings** connect the posts with the platforms and the various play features. They are non-toxic, flameproof and U.V. resistant. The thickness of the polyamide makes the equipment both strong and vandal resistant.



**8- The 16mm diameter ropes** are made of galvanised steel cable covered with polyester. The cables are linked together and held in place by injected polyamide spheres.



**9- The net fittings** are made of polyamide and are used to link three cords together.



**10-The steps** are made with a non-slip rubber overmould.




**11-The sliding surfaces** are made of 2mm thick stainless steel, which is shaped, bent and rolled from one piece.



**12-The Kayak slide** is made of rotomoulded polyethylene.



**13-The caps** are made of rotary moulded polyethylene.



**14-The climbing holds** are made of polypropylene. They are non-toxic, inflammable and shock and UV resistant.



**15-The fixings** are made of stainless or plated steel and protected by anti-vandalism polyamide caps.